



Exquisite, stylish yet classic and versatile urban lighting

UNIUrban

UNIUrban is ideal for the urban lighting across the sidewalks, parks, gardens, residential areas, shopping center plazas. Its exquisite, stylish yet classic design is not only suitable for modern cities but also for historical architecture.

Benefits

- Exquisite, stylish yet classic design to beautify your space
- State-of-the-art LEDs and drivers ensure better lighting performance and reliability
- Comfort and safety for urban
- Future-oriented

Features

- 5 even more look-and-feels
- 3 options of wattage packages– 33W/ 65W / 100W
- 3000K/4000K CCT , 100+lm/w for energy-saving
- 3 options for installation - Side-entry, Post-top and Suspension
- 3 options for lighting distribution - Symmetrical / Asymmetrical / Omni
- IP65 / IK08 , professional design to ensure reliability
- 50K hrs. lifetime with 3 yrs. warranty
- Various mounting installation

Application

- Sidewalks
- Parks, gardens
- Residential areas
- Shopping center plazas

Versions



BDP461



BGP461



BSP461



BSS461

Accessories



BSS461

Ordercode 911401727742,
911401727752, 911401727762,
911401727772, 911401727782,
911401727792, 911401727802



Chess

Ordercode 911401727812,
911401727842



Dome

Ordercode 911401727822,
911401727832

Approval and Application

Mech. impact protection code IK08

Controls and Dimming

Dimmable No

General Information

CE mark CE mark

Optical cover/lens type Polycarbonate
micro lens optic

Driver included Yes

Flammability mark -

Light source replaceable No

Initial Performance (IEC Compliant)

Init. Color Rendering Index ≥70

Mechanical and Housing

Color Gray

General Information

Order Code	Full Product Name	Light source color	Lamp family code
911401727442	BDP461 LED33 WW 110-277V TS	Warm white	-
911401727452	BDP461 LED33 NW 110-277V TS	Neutral white	-
911401727462	BDP461 LED65 WW 110-277V TS	Warm white	-
911401727472	BDP461 LED65 NW 110-277V TS	Neutral white	-
911401727482	BDP461 LED100 WW 110-277V TS	Warm white	-
911401727492	BDP461 LED100 NW 110-277V TS	Neutral white	-
911401727502	BGP461 LED40 WW 110-277V TS	Warm white	-
911401727512	BGP461 LED40 NW 110-277V TS	Neutral white	-
911401727522	BGP461 LED40 WW 110-277V TA	Warm white	-
911401727532	BGP461 LED40 NW 110-277V TA	Neutral white	-
911401727542	BGP461 LED78 WW 110-277V TS	Warm white	-
911401727552	BGP461 LED78 NW 110-277V TS	Neutral white	-
911401727562	BGP461 LED78 WW 110-277V TA	Warm white	-
911401727572	BGP461 LED78 NW 110-277V TA	Neutral white	-
911401727582	BGP461 LED120 WW 110-277V TS	Tunable white	-
911401727592	BGP461 LED120 NW 110-277V TS	Neutral white	-

Order Code	Full Product Name	Light source color	Lamp family code
911401727602	BGP461 LED120 WW 110-277V TA	Warm white	-
911401727612	BGP461 LED120 NW 110-277V TA	Neutral white	-
911401727622	BSP461 LED40 WW 110-277V TS	Warm white	-
911401727632	BSP461 LED40 NW 110-277V TS	Neutral white	-
911401727642	BSP461 LED40 WW 110-277V TA	Warm white	-
911401727652	BSP461 LED40 NW 110-277V TA	Neutral white	-
911401727662	BSP461 LED78 WW 110-277V TS	Warm white	-
911401727672	BSP461 LED78 NW 110-277V TS	Neutral white	-
911401727682	BSP461 LED78 WW 110-277V TA	Warm white	-
911401727692	BSP461 LED78 NW 110-277V TA	Neutral white	-
911401727702	BSP461 LED120 WW 110-277V TS	Warm white	-
911401727712	BSP461 LED120 NW 110-277V TS	Neutral white	-
911401727722	BSP461 LED120 WW 110-277V TA	Warm white	-
911401727732	BSP461 LED120 NW 110-277V TA	Neutral white	-
911401727742	BSS461 LED40 WW 110-277V CLASSIC	Warm white	-
911401727752	BSS461 LED40 NW 110-277V CLASSIC	Neutral white	-
911401727762	BSS461 LED78 WW 110-277V CLASSIC	Warm white	-
911401727772	BSS461 LED78 NW 110-277V CLASSIC	Neutral white	-
911401727782	BSS461 LED120 WW 110-277V CLASSIC	Warm white	-
911401727792	BSS461 LED120 NW 110-277V CLASSIC	Neutral white	-

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux	Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401727442	BDP461 LED33 WW 110-277V TS	3000 K	3300 lm	911401727572	BGP461 LED78 NW 110-277V TA	4000 K	7800 lm
911401727452	BDP461 LED33 NW 110-277V TS	4000 K	3300 lm	911401727582	BGP461 LED120 WW 110-277V TS	3000 K	12000 lm
911401727462	BDP461 LED65 WW 110-277V TS	3000 K	6500 lm	911401727592	BGP461 LED120 NW 110-277V TS	4000 K	12000 lm
911401727472	BDP461 LED65 NW 110-277V TS	4000 K	6500 lm	911401727602	BGP461 LED120 WW 110-277V TA	3000 K	12000 lm
911401727482	BDP461 LED100 WW 110-277V TS	3000 K	10000 lm	911401727612	BGP461 LED120 NW 110-277V TA	4000 K	120000 lm
911401727492	BDP461 LED100 NW 110-277V TS	4000 K	10000 lm	911401727622	BSP461 LED40 WW 110-277V TS	3000 K	4000 lm
911401727502	BGP461 LED40 WW 110-277V TS	3000 K	4000 lm	911401727632	BSP461 LED40 NW 110-277V TS	4000 K	4000 lm
911401727512	BGP461 LED40 NW 110-277V TS	4000 K	4000 lm	911401727642	BSP461 LED40 WW 110-277V TA	3000 K	4000 lm
911401727522	BGP461 LED40 WW 110-277V TA	3000 K	4000 lm	911401727652	BSP461 LED40 NW 110-277V TA	4000 K	4000 lm
911401727532	BGP461 LED40 NW 110-277V TA	4000 K	4000 lm	911401727662	BSP461 LED78 WW 110-277V TS	3000 K	7800 lm
911401727542	BGP461 LED78 WW 110-277V TS	3000 K	7800 lm	911401727672	BSP461 LED78 NW 110-277V TS	4000 K	7800 lm
911401727552	BGP461 LED78 NW 110-277V TS	4000 K	7800 lm	911401727682	BSP461 LED78 WW 110-277V TA	3000 K	7800 lm
911401727562	BGP461 LED78 WW 110-277V TA	3000 K	7800 lm	911401727692	BSP461 LED78 NW 110-277V TA	4000 K	7800 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401727702	BSP461 LED120 WW 110-277V TS	3000 K	12000 lm
911401727712	BSP461 LED120 NW 110-277V TS	4000 K	12000 lm
911401727722	BSP461 LED120 WW 110-277V TA	3000 K	12000 lm
911401727732	BSP461 LED120 NW 110-277V TA	4000 K	12000 lm
911401727742	BSS461 LED40 WW 110-277V CLASSIC	3000 K	4000 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401727752	BSS461 LED40 NW 110-277V CLASSIC	4000 K	4000 lm
911401727762	BSS461 LED78 WW 110-277V CLASSIC	3000 K	7800 lm
911401727772	BSS461 LED78 NW 110-277V CLASSIC	4000 K	7800 lm
911401727782	BSS461 LED120 WW 110-277V CLASSIC	3000 K	7800 lm
911401727792	BSS461 LED120 NW 110-277V CLASSIC	4000 K	12000 lm

Light Technical

Order Code	Full Product Name	Standard tilt angle posttop
911401727442	BDP461 LED33 WW 110-277V TS	-
911401727452	BDP461 LED33 NW 110-277V TS	-
911401727462	BDP461 LED65 WW 110-277V TS	-
911401727472	BDP461 LED65 NW 110-277V TS	-
911401727482	BDP461 LED100 WW 110-277V TS	-
911401727492	BDP461 LED100 NW 110-277V TS	-
911401727502	BGP461 LED40 WW 110-277V TS	15°
911401727512	BGP461 LED40 NW 110-277V TS	15°
911401727522	BGP461 LED40 WW 110-277V TA	15°
911401727532	BGP461 LED40 NW 110-277V TA	15°
911401727542	BGP461 LED78 WW 110-277V TS	15°
911401727552	BGP461 LED78 NW 110-277V TS	15°
911401727562	BGP461 LED78 WW 110-277V TA	15°
911401727572	BGP461 LED78 NW 110-277V TA	15°
911401727582	BGP461 LED120 WW 110-277V TS	15°
911401727592	BGP461 LED120 NW 110-277V TS	15°
911401727602	BGP461 LED120 WW 110-277V TA	15°
911401727612	BGP461 LED120 NW 110-277V TA	15°

Order Code	Full Product Name	Standard tilt angle posttop
911401727622	BSP461 LED40 WW 110-277V TS	-
911401727632	BSP461 LED40 NW 110-277V TS	-
911401727642	BSP461 LED40 WW 110-277V TA	-
911401727652	BSP461 LED40 NW 110-277V TA	-
911401727662	BSP461 LED78 WW 110-277V TS	-
911401727672	BSP461 LED78 NW 110-277V TS	-
911401727682	BSP461 LED78 WW 110-277V TA	-
911401727692	BSP461 LED78 NW 110-277V TA	-
911401727702	BSP461 LED120 WW 110-277V TS	-
911401727712	BSP461 LED120 NW 110-277V TS	-
911401727722	BSP461 LED120 WW 110-277V TA	-
911401727732	BSP461 LED120 NW 110-277V TA	-
911401727742	BSS461 LED40 WW 110-277V CLASSIC	-
911401727752	BSS461 LED40 NW 110-277V CLASSIC	-
911401727762	BSS461 LED78 WW 110-277V CLASSIC	-
911401727772	BSS461 LED78 NW 110-277V CLASSIC	-
911401727782	BSS461 LED120 WW 110-277V CLASSIC	-
911401727792	BSS461 LED120 NW 110-277V CLASSIC	-

